	Application No.	Applicant(s)
Notice of Allowability	10/770,509	NELLEN ET AL.
	Examiner	Art Unit
	Brian Goldberg	2861
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed 6/30/06.		
2. The allowed claim(s) is/are <u>1-18</u> .		
3.		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 08), 7. ☑ Examiner's	Informal Patent Application (PTO-152) Summary (PTO-413), /Mail Date S Amendment/Comment S Statement of Reasons for Allowance

Application/Control Number: 10/770,509

Art Unit: 2861

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In line 1 of claim 1, after "adjusting", the word "the" has been deleted.

The following is an examiner's statement of reasons for allowance: The prior art does not disclose or suggest providing "second adjustors arranged remote from said carriage for adjusting said angular orientation of said print head cartridge or groups of print head cartridges, said second adjustors selectively, operatively coupled with said first adjustors of a selected one of said print head cartridges or groups of print head cartridges" in combination with the remaining claim elements as set forth in claim 1 and claims 2-18 that depend from it.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Goldberg whose telephone number is 571-272-2728. The examiner can normally be reached on Monday through Friday, 9AM-5PM.

Application/Control Number: 10/770,509 Page 3

Art Unit: 2861

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vip Patel can be reached on 571-272-2458. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Brian Goldberg AU 2861

July 21, 2006

' Vip Patel

Supervisory Examiner

AU 2861